

NOTE

- 1. BEDDING DETAILS TO BE GENERALLY IN ACCORDANCE WITH BS 8005.
- 2. CLAUSES REFER TO CIVIL ENGINEERING SPECIFICATION FOR THE WATER INDUSTRY CESWI 6TH EDITION.
- 3. BEDDING AND SIDEFILL MATERIALS FOR BURIED PIPELINES SHALL BE PER CLAUSE 2.88.
- 4. SELECTED BACKFILL MATERIAL SHALL BE TO CLAUSE 2.49.2 AND COMPACTED AS PER CLAUSE 5.4.
- 5, CONCRETE AND/OR SURROUND TO BE PLACED IN ACCORDANCE WITH CLAUSE 5.3.
- 6. ALL PIPE EMBEDMENTS ARE TO BE PLACED IN ACCORDANCE WITH CLAUSE 5.2.
- 7. MATERIAL EXCAVATED FROM TRENCHES DUG THROUGH LAND CONTAMINATED WITH DOMESTIC BUILDING OR INDUSTRIAL WASTE SHALL NOT BE USED AS BEDDING OR SIDEFILL MATERIAL.
- 8. SPECIAL PROVISIONS MAY BE REQUIRED FOR DITCH OR STREAM CROSSINGS. ENVIRONMENT AGENCY CONSENT TO BE OBTAINED.

NOTES

- 1. ALL DIMENSIONS IN MILLIMETRES UNLESS NOTED OTHERWISE.
- 2. DO NOT SCALE FROM THIS DRAWING.

